

WINE

MIAMI

MIAMI B&R

Code A1MIAMIBRMIXVTP	Description Refrigerated Wine Bottle Display Cabinet - MIAMI B&R VT RF T + 3 DR
--------------------------------	---

Structure with insulated laminated panels.
 Aluminium profile integrated frame with low emission double glazed doors.
 Version with ventilated refrigeration, digitally controlled.
 Internal layout with steel tubes and pull-out drawers.
 Door lock and internal LED lighting.
 Resistor heated condensate drain pan.





Non-contractual image, provided by way of example.



TECHNICAL DATA					
		Climate Class			
°C	Operating Climate Conditions		N° (max)	Lt.	Ampere
+4/+18	TA 30°C - UR 55%	4	66+66	520	4,2
	Refrigerant Gas	Energy Efficiency Class	Sound Pressure Level (1)	Annual Energy Consumption (2)	
V/Ph/Hz			dB	kWh/Year	
230V/1/50 Hz	R290		42		

(1) Sound pressure level measured at 3 meters in front of the product. (2) Annual Energy Consumption as Delegated Regulation 2010/1060/UE.

DIMENSIONS AND WEIGHTS																				
mm			mm			mm			mm			mm			mm					
L	P	H	L	P	H	L	P	H	L	P	H	L	P	H	L	P	H	L	P	H
1220	500	1970	1310	632	2100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kg		m ³	Kg		m ³	Kg		m ³	Kg		m ³	Kg		m ³	Kg		m ³			
250		1,74	270		1,74	-		-	-		-	-		-	-		-			
																	Kg		m ³	
																	270		1,74	



Spazi di rispetto - solo per versioni con motore a bordo
Clearances - only for self contained models



Ogni apparecchio refrigerante richiede una ventilazione adeguata per ottenere prestazioni efficaci ed efficienti.
 All refrigeratin equipment requires adequate ventilation for efficient and effective performance.

Misure espresse in mm/pollici
 All dimensions are in mm/inches